G R S App F IX 4]

1943.

File No 7742

Previous References
ml 76 - 42 - 215 (ml)

Serial Nos 4, 11

Later References
ml 77-42 (11, 20, 22, 23, 24)

GENERAL AND REVENUE SECRETARIAT

Serial Nos Two

Part B for February 1943

SUBJECT

Behm water supply

To

(ml 11)

The Dy C P W
" D.C. Hassan Dist
" Commissioner Mysore
" Chief Engr of Mysore

no 2 b 276-9 A 10/2/43

Formation of a service road to the pump house at Belur

1653/L

Continuation Sheet ML File No/Current No 76 of 1942 Page 1

Subject: The Dir of P Id
No C229-16 dy 6 12 42

Request sanction, in the circumstances stated, to an estimate for Rs 2400 for the formation of a service road to the pump house at Belur which is stated to be necessary for inspection of the pump house and 1) It is stated that there is no provision for the item in the sanctioned estimate for Rs 50,540/- for the Belur water supply scheme and that the provision would be made in this behalf in the revised estimate now under preparation

Flag 'A'

2) The Dy Dir has been requested in this office letter No L 10642 dy 2 5 42 to send us the revised estimate incorporating all the changes made so far as that is immediate prospect with suitable proposals to finance the same. The receipt of the revised estimate is awaited

Flag 'N'

3) Submitted for orders

Sd/ 11/12

CS 11/11/42

4) An enquiry was made as to the time required to complete the work of the pump house including the erection of the pressure filters for which approval by the SSO was made in the estimate

5) Draft letter put up for orders

Sd/ 11/12

for 11/12/42

6) Dy Dir for 12/12/42

SI 11/12

TYPED SEP 1200 GENERAL SEC

WD 1140—GPB—50 000—5-11-42

Formation of a service road to the
3474/L Pump house at Belur 4778/L

Continuation Sheet ML File No 76 of 1942 Page 4770/L

To, The Dy of P H
L 5983 dt 14/12/42
Calls for certain information

Sus A
14/12
GS 14/12

From The Dy of P H
No C 229-29 dt 8 2 43
Furnishes the information called for

b) Due to increased rates, the savings of Rs 500 accruing as a result of Govt's purchase of the pressure filters has stated to have been utilised for other items and is not possible to utilise the amount for the formation of a service road at Belur

a) The estimate for Rs 50,560 has been revised to Rs 51,660, the receipt of which may perhaps be awaited

9) The proposal is submitted for orders

Lab 9/12 10) In the circs reported, the estimate for Rs 2400 for the formation of a Service road to the pump house at Belur may be sanctioned; the copper therein being included in the ~~total~~ final estimate to be submitted hereafter for the wks

Lawsey 14/12/43

11) May be pse sanctioned accordingly

Mech E 2-43

DY P H 13/2/43

L W DEPT 9502 12 3 T OF MYSORE
MINISTER & P H 43

S.6

Loan 1st dated 14/12/42

Formation of a service road to the pump house at Belur

Continuation Sheet | File No 26 / Current No 1.770. | of 1942 | Page

sub'd with a draft G.O. sanctioning for adtl

Dy Secy 16/2/43

Secy 15/2
GS 15/2

To

AL 16

The Dir of Ir
" D.C. Mysore
" Comptroller
" Chief Engr Mysore

No 2 & 2976-9 Dy 18/2/43

Sanctions the estimate as applied

Subject

L 5983 / dated 14/12/42

Ml 77-42-7

G R S App F G 3

GENERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form*)

To, The Dy P W D
in Mysore

Sir,

With reference to your letter no C229-16 dy 6-12-42 re. the formation of a service road to the pump house at Belur at an estimated Cost of Rs 2400/, I am directed to enquire if the saving anticipated on account of the non purchase of the pressure filters for which a provision of Rs 5500 has been made in the sanctioned estimate for Rs 50,560/- for the water supply scheme for the Belur town

I have etc
for
for Secy to Govt
Revenue Dept

WD 03603—GPB—15 000—8-7 35

Letter No 654 dated 20th November 1942 from the Sanitary Engineer, Bangalore, to the Director of Public Health in Mysore, Bangalore

--

Re The service road for the pump house of Belur town water works -

—

I have the honour to submit herewith an estimate amounting to Rs 2,400/- together with necessary report, plan etc , for the above work for favour of your kind approval and early return

The estimate is countersigned by the President, Town Municipal Council, Belur vide No 104/42-43 dated 31st October 1942 with a request to include this amount in the revised estimate for Belur town water supply

There is no provision for this item of work in the sanctioned revised estimate for Rs 50,540 to Belur water supply The service road to the pump house is necessary, as the pump house is located at the right end bank of Yagachi river and for inspecting the pump house, it will be difficult as the wet and dry lands intervene Hence it is proposed to have a service road, right from the Mudigere road, near the electric colony to the pump house, along with the rising main to a width of 24' The report accompanying the estimate explains the necessity for the work and early approval to the enclosed estimate is requested

Due provision will be made for this item of work in the final revised estimate under preparation

-o-

" C o p y "

rector of Public Health

JBR

4770/2

No C 229-29
Enc one

OFFICE OF THE
DIRECTOR OF PUBLIC HEALTH
IN MYSORE

Bangalore, dated 6th February 194 3

To

The Secretary to Government,
Law Department, Bangalore

Sir,

Estimate for the formation of a service road at Belur at a cost of Rs 2400/-

With reference to your letter No L 5983/41 77-42-7 dated 14-12-42 enquiring if the expenditure of the above cannot be met out of the savings anticipated on account of the non-purchase of pressure filters for which a provision of Rs 5,000/- has been made in the sanctioned estimate of Rs 50,540/-, I have the honor to state that the Sanitary Engineer intimates in his letter No 1029 dated 29-1-43 that this savings of Rs 5500 due to omission of filters, is utilised for other items of works which required revision as a result of increased rates owing to present market situation A re-revised estimate for Rs 51,440/- resulting in an excess of Rs 900/- over the sanctioned revised estimate is reported by the Sanitary Engineer has been prepared and is under submission separately incorporating also the above work It will be sent to Government as soon as it is received from him

A copy of Sanitary Engineer's letter dated 29-1-43 in the matter is enclosed for the information of Government

I have the honour to be,
Sir,
Your most obedient servant,
Director of Public Health

JBR

Letter No 1029 dated 29-1-43 from the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, to the Director of Public Health in Mysore, Bangalore

---

Subject - Estimate for the formation of a service road at Belur at a cost of Rs 2,400/-

—

With reference to your memo No C 229-22 dated 16th December 1942 forwarding copy of letter No L 5983/M1 77-42-7 dated 14th December 1942 of the Secretary to Government, Law Department, Bangalore, addressed to you in the above matter and enquiring if the expenditure for the above cannot be met out of the savings anticipated on account of the non-purchase of the pressure filters for which a provision of Rs 3,500/- has been made in the sanctioned estimate for Rs 50,540/- for the water supply scheme to Belur town, I have the honour to state that this savings of Rs 3,500/- due to omission of filters is utilised for other items of works which required revision, consequent on the increased rates due to the present situation A re-revised estimate for Rs 51,440/- resulting in an excess of Rs 900/- over the sanctioned estimate incorporating the provision for the above work is prepared and is under submissic separately for sanction In the revised estimate due provision is made for the above work, also, since this is an item not contemplated originally

- o -

"Copy"

for [illegible]

Director of Public Health

JEB

G R S App F VI—G 2]

SUBJECT

Diary No of letter replied to

General and Revenue Secretariat

( )

the *193*

Date of issue 18/2/1943

Signed by

M

(i) printed ?

(ii) treated as a standing order ?

(iii) published in the Gazette English Part ?

(iv) translated ?

(v) placed at the disposal of the press ?

(vi) published in the Gazette Kannada Part ?

Le Copier

Section DM

File No ~~76~~ 77-42

Serial No 16

Proceedings of the Government of His Highness the Maharaja of Mysore

Read— Correspondence ending with letter no C 229-29 Dated 8 2 43 from the D P H M mysore recommending sanction, in the circumstances stated, to ~~the~~ Amended & Belur municipal estimate duly countersigned by the Deputy Comr for Rs 24000 for the formation of a road from to the pump house at Belur and add ~~the~~ the usual provisions

Order thereon—No

Should be made in the final revised estimate for the Belur water supply Scheme stated to be under preparation as there is no provision for this item with original estimate

ORDER NO [illegible]

Sanctioned.

To, The Dir of P H & M ✓

To, The D C Hassan ✓

The Comptroller to Govt ✓

The Chief Engr of Mysore ✓

Secretary to Govt

Law Dept

List of Enclosure

Copied by [illegible]

Examined by

WD 0364—GPL—92 500—9 1 39